

# DumpsQuestion

Over **61842+** Satisfied Customers

About Us

The screenshot displays the DumpsQuestion website interface. At the top, there is a navigation bar with the logo and menu items: HOME, CERTIFICATIONS, HOW TO PAY?, GUARANTEE, FAQ, and CART (0). The main content area features a large banner with the text 'TRY BEFORE YOU BUY' and 'Download a free sample of any of our exam questions and answers'. Below this, three bullet points highlight key features: '24/7 customer support. Secure shopping site', 'Free One year updates to match real exam scenarios', and 'If you failed your exam after buying our products we will refund the full amount back to you.' The background of the banner shows a group of people in a meeting setting.

Select a vendor... | Select an exam... | Your email address | Free Download

## What Clients Say About Us

Disclaimer Policy: The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.

“ Good things should be shared together. I pass the HPE0-J75. The dumps is good for examination. ”



Honey

“ Do not hesitate about the dumps. It is very good valid dumps. Yes, I am sure it is valid for this times. Worthy it. ”



Hardy

<http://www.dumpsquestion.com>

Professional Dump Collection & Excellent Exam Questions & Latest Questions

**Exam :** CX-310-811

**Title :** MySQL 5.0 Database Administrator  
Certified Professional Exam, Part II

**Vendors :** Oracle

**Version :** DEMO

NO.1 How can stored routines be used to check for constraints or legality of incoming data?

- A. They can make use of the VALIDATE DEFINER setting.
- B. They can not be used to check for constraints or legality of data.
- C. They can check and only perform an action if the incoming values match a specified value.

Answer: C

NO.2 Is the following statement true or false? The username you use to connect to MySQL must be the same as the login used to access the operating system.

- A. true
- B. false

Answer: B

NO.3 You have been granted SELECT, INSERT and DELETE privileges on the table city in the world

database. You log in, and exercise all your privileges without any problems.

While you are still connected and doing work, the administrator removes your DELETE privileges and

informs you by mail that you can no longer delete from table city.

Being skeptical, you decided to test your privileges and realize that you still have them all.

What is are the

most likely causes of this?

- A. The administrator forgot to revoke your UPDATE privilege
- B. The administrator forgot to revoke your SELECT privilege
- C. The administrator removed the DELETE privilege by performing an UPDATE directly on the mysql.table\_priv table
- D. The administrator did not execute FLUSH PRIVILEGES

Answer: CD

NO.4 The stored function year\_to\_date is created by the 'root'@'localhost' account as follows:

```
CREATE FUNCTION year_to_date ()
```

```
RETURNS DECIMAL(10,2)
```

```
SQL SECURITY DEFINER
```

```
BEGIN
```

```
...
```

```
END;
```

Within the routine body, a number of calculations are made on data in the financials table and

the

calculated value is returned. The only account which can access the financials table is 'root'@'localhost'.

If a client connects with the account 'joe'@'localhost' and calls the year\_to\_date function, what will happen?

- A. The function will always execute as if it was 'root'@'localhost' that invoked it since SQL SECURITY DEFINER has been specified.
- B. The function will not execute, as 'joe'@'localhost' does not have access to the financials table
- C. The function will not execute as SQL SECURITY DEFINER has been specified. It would execute if instead SQL SECURITY INVOKER had been specified
- D. If the account 'joe'@'localhost' has the EXECUTE privilege on year\_to\_date, the function will complete successfully

Answer: D

NO.5 Consider the following query:

```
GRANT ALL ON world.* TO 'web'@'hostname'
```

What privileges would this give this user?

- A. All privileges including GRANT.
- B. All privileges except GRANT.
- C. SELECT, INSERT, UPDATE and DELETE.
- D. ALL can not be used when granting privileges.

Answer: B

NO.6 Which of the following best describes how the relay log works?

- A. It records the times when the slave connects to the master.
- B. When a slave receives a change from the master, it is recorded in the relay log first and processed later.
- C. When a slave receives a change from the master, it is processed first and then recorded in the relay log.

Answer: B

NO.7 Consider the following:

```
mysql> EXPLAIN SELECT Name FROM Country WHERE Code = 'CAN'\G
```

```
***** 1. row *****
```

```
id: 1
```

```
select_type: SIMPLE
```

```
table: Country
```

```
type: const
```

```
possible_keys: PRIMARY
```

```
key: PRIMARY
```

```
key_len: 3
```

```
ref: const
```

```
rows: 1
```

```
Extra:
```

Which of the following best describes the meaning of the value of the type column?

- A. The table has exactly one row.
- B. Several rows may be read from the table.
- C. Only one row of all its rows need to be read.

Answer: C

NO.8 For which of the following objects can privileges be specified?

- A. Host
- B. Global
- C. Database
- D. Table
- E. Column
- F. Row

Answer: BCDE

NO.9 Privileges for using stored routines can be specified at the following levels:

- A. Server-wide
- B. Per database
- C. Per routine
- D. The ability to use stored procedures is not governed by the privilege system.

Answer: ABC

NO.10 Assuming that the account 'joe'@'%' does not already exist on the server, executing the statement

```
mysql> CREATE USER 'joe'@'%' IDENTIFIED BY 'sakila'
```

will have the following consequences:

- A. The account 'joe'@'%' is created on the server. However, clients cannot connect using this account until further privileges have been assigned to the account.
- B. The account 'joe'@'%' is created on the server. Clients may connect to the server using this account, but will not be able to access any databases, tables or stored routines
- C. The account 'joe'@'%' is created on the server. Clients may connect to the server using this account and execute stored routines, but will not be able to access any databases or tables
- D. Nothing; there is no such command as CREATE USER

Answer: B

NO.11 Given the following MyISAM table structure:

```
mysql> desc city;
```

```
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| ID | int(11) | | PRI | NULL | auto_increment |
| Name | char(35) | | | | |
| CountryCode | char(3) | | | | |
| District | char(20) | | | | |
| Population | int(11) | | MUL | 0 | |
+-----+-----+-----+-----+-----+-----+
```

and the following SQL statement:

```
SELECT Population
FROM city
WHERE Population = 10000
ORDER BY Population
LIMIT 5;
```

which of the following statements best describes how MySQL optimizer executes the query?

- A. The optimizer uses the primary key column ID to read the index values, then uses the index on Population to filter the results. The optimizer will always choose to use a unique index first, then use a secondary index if available.
- B. The optimizer uses the index on the Population column to search and filter the WHERE clause. A

temporary table is used to perform a filesort on the results, and then only 5 records are returned to the client.

C. The optimizer uses the index on the Population column to search, filter and sort the Population column, then returns 5 records to the client. The optimizer does not need to read the data rows, and can return

values from the index only, because the index contains just integer values that form a leftmost prefix for the key.

D. The optimizer uses the index on the Population column to search, filter and sort the Population column, and returns 5 records to the client. The optimizer does not need to read the data rows, and can return

values from the index only because only those columns were specified in the SELECT statement.

E. The optimizer will never read data from disk, since MySQL caches both data and index in the key buffer.

Answer: D

NO.12 Consider the following GRANT statement:

```
GRANT USAGE ON *.* TO 'kofi'@'localhost' IDENTIFIED BY 'password'
```

What are the implications of executing that statement?

- A. Kofi can access all database objects.
- B. Kofi can access all his tables.
- C. Kofi can display server system and status variables.
- D. Kofi can grant privileges to others.
- E. Kofi can access all database objects belonging to localhost.

Answer: C

NO.13 What are reasons to prefer using GRANT and REVOKE statements over editing the privilege tables directly?

- A. Using GRANT and REVOKE allows the server to figure out the right tables and do all the appropriate work
- B. All grant tables in memory are immediately updated on GRANT and REVOKE

- C. Making changes directly to the grant tables, one must remember to execute flush privileges to make the changes take effect
- D. GRANT and REVOKE statements allow you to do more fine-grained tuning of user privileges than does editing the grant tables directly.
- E. None of the above

Answer: BCD

NO.14 Which of the following statements are required to create a key cache of 4 MB, assign the MyISAM table world.City to it and preload the index?

- A. mysql> SET GLOBAL city\_cache.key\_buffer\_size = 4194304;mysql> CACHE INDEX world.City IN city\_cache;mysql> LOAD INDEX INTO CACHE world.City;
- B. mysql> ALTER TABLE world.city KEY\_CACHE = 4194304;
- C. mysql> CREATE CACHE FOR world.City SIZE = 4194304;
- D. It is not possible to create a key cache for a specific MyISAM table, only the global key cache can be used.

Answer: A

NO.15 Which of the following statements about the slow query log is true?

- A. The slow query log will always contain just slow queries.
- B. The slow query log may not always contain just slow queries.
- C. The slow query log always logs more than just slow queries.

Answer: B

NO.16 Which of the following best describes why InnoDB tables should always have primary keys and why they should be short?

- A. Because InnoDB uses primary keys to locate tables, and shorter keys make quicker lookups.
- B. Because InnoDB uses primary keys to locate table rows, and shorter keys make quicker lookups.
- C. Because InnoDB stores pointers in a log to all the primary keys and shorter keys make

this log smaller.

Answer: B

NO.17 With replication, what on the master is used to send commands to the slave?

- A. The relay log.
- B. The binary log.
- C. The SQL Thread.

Answer: B

NO.18 How can the SHOW PROCESSLIST command be helpful when optimizing queries?

- A. It shows if a query is using an index or not.
- B. It shows how the server processes a query.
- C. If checked periodically, it can reveal queries that cause other queries to hang.
- D. It shows the percentage of processing power that each query is using on a server.

Answer: C

NO.19 Which of the following statements are true of how access control is based?

- A. It is based off of an access control table in the mysql database.
- B. It is based off of grant tables in the mysql database.
- C. It is based off of an access control list stored in the data directory.
- D. It is based off of an access control list stored inside the .frm files of each table.

Answer: B

NO.20 When working with stored routines, which of the following are true in regards to the effect on the

amount of data exchanged between client and server?

- A. They may increase the amount of data exchanged.
- B. They can help reduce the amount of data exchanged.
- C. They have no effect on the amount of data exchanged.

Answer: B